



SUMO™



by **LOCKEY**
USA



THE SUMO™ LINE BY LOCKEYUSA

SURFACE MOUNT GATE HARDWARE



888.395.0163
LOCKEYUSA.COM



Introducing SUMO™ gate hardware by LockeyUSA. SUMO™ began with an idea for a combination gate lock that could be surface mounted and has grown into a line of surface mounted gate hardware. SUMO™ gate hardware is easy to install, easy to maintain and easy to use.

SUMOGATEHARDWARE.COM

TABLE OF CONTENTS

1 SUMO™ GATE LOCK	4 SELF-CLOSING HINGES	7 LINX PRODUCTS
2 PERIMETER GATE LATCHES	5 GATE CLOSERS	
3 GRAVITY LATCHES	6 PANIC HARDWARE KITS	

SUMO™ GL2 SURFACE MOUNT GATE LOCK WITH PASSAGE & KEY LOCKOUT



Surface mount gate kit, lock included
Easy to install, no welding needed
Locks automatically, equipped with passage function
Keyed cylinder lockout function to prevent code use
Deadlocking spring latch prevents tampering
One user code
To retain product warranty, a slam prevention device must be installed*

Dimensions on Gate	9 5/16" L x 2 1/2" W x 4" D
Dimensions on Fence Post	8 5/8" L x 1 1/2" W x 2 1/4" D
Materials	Non-rusting polymers, aluminum, stainless steel, zinc
Adjustment	Vertical and Horizontal
Keys	2, provided
Gate Material	Metal, Vinyl, Wood
Frame/Post Shape	Square
Gate Post Size	1 1/4" to 3 1/2" thick, up to 5" with Ext. Kit*
Min. Gate Stile Width	Must be at least 1 1/2" wide
Ideal Gate Gap	Up to 2"
Mounting Method	Surface Mount, screw-on
Lock Type	Rekeyable
Warranty	Lifetime Mechanical Warranty
Finish/Color	Jet Black Marine Grade (JBMG), Satin Chrome Marine Grade (SCMG)
Order Number	GL2 + (Finish) + (DC for Double Combination)

*sold separately


PERIMETER GATE LATCHES

PGL-50 PERIMETER GATE LATCH FOR POOL GATES

Magnetic, self-latching gate safety system
Top-pull design, made for pool gates
Complies with pool safety standards
Fast & simple installation
Resistant to extreme weather

Dimensions	3.8 x 2 x 21 in.
Weight	1.4 lbs
Materials	Non-rusting polymers, aluminum, stainless steel
Adjustment	Vertical and Horizontal
Keys	2, provided
Gate Material	Metal, Vinyl, Wood
Frame/Post Shape	Square
Min. Post Size	1" + (25mm+)
Ideal Gate Gap	3/4" (19mm)
Mounting Method	Surface Mount, screw-on
Warranty	Limited Lifetime Warranty
Finish/Color	Black
Order Number	PGL-50


For pool gates, be sure to check with your local authorities to see what is required in your area's building code or in other regulations.



PGL-25 PERIMETER GATE LATCH


Magnetic, self-latching gate safety system
Top-pull design
Perfect for privacy & safety gates
Fast & simple installation
Resistant to extreme weather

Dimensions	3.8 x 2 x 11.2 in.
Weight	1.05 lbs
Materials	Non-rusting polymers, aluminum, stainless steel
Adjustment	Vertical and Horizontal
Keys	2, provided
Gate Material	Metal, Vinyl, Wood
Frame/Post Shape	Square
Min. Post Size	1" + (25mm+)
Ideal Gate Gap	3/4" (19mm)
Mounting Method	Surface Mount, screw-on
Warranty	Limited Lifetime Warranty
Finish/Color	Black
Order Number	PGL-25



GRAVITY LATCHES

SGL-SS GRAVITY LATCH, SINGLE SIDED



Heavy duty gravity gate latch
Advanced catching system
2 independent latching hooks
Pull-to-open
Easy installation and adjustment

Dimensions	3.75 x 1.5 x 5.75 in.
Weight	1.05 lbs
Materials	Non-rusting polymers, aluminum, stainless steel
Adjustment	Vertical and Horizontal
Keys	2, provided
Gate Material	Metal, Vinyl, Wood
Frame/Post Shape	Square
Min. Post Size	1½" (38mm)
Ideal Gate Gap	¾" (19mm)
Mounting Method	Surface Mount, screw-on
Lock Type	Rekeyable
Warranty	Limited Lifetime Warranty
Finish/Color	Black
Order Number	SGL-SS

GATE PULL HANDLE

Works with metal, wood, & vinyl
Easy to install, durable handle





Dimensions	1 x 6.25 in.
Materials	Polymer
Color	Black
Order Number	SPH

SGL-DS GRAVITY LATCH, DOUBLE SIDED



Double sided heavy duty gravity gate latch
Advanced catching system
2 independent latching hooks
Pull-to-open
Easy installation and adjustment

Dimensions	3.75 x 1.5 x 5.75 in.
Weight	1.45 lbs
Materials	Non-rusting polymers, aluminum, stainless steel
Adjustment	Vertical and Horizontal
Keys	2, provided
Gate Material	Metal, Vinyl, Wood
Frame/Post Shape	Square
Min. Post Size	1½" (38mm)
Ideal Gate Gap	¾" (19mm)
Mounting Method	Surface Mount, screw-on
Lock Type	Rekeyable
Warranty	Limited Lifetime Warranty
Finish/Color	Black
Order Number	SGL-DS






SELF-CLOSING HINGES

SSC SAFECLOSE SELF-CLOSING HINGES

Self-closing, adjustable tension gate hinges
 Closes gates up to 99 lbs.
 Designed for pool & safety gates, sold in pairs
 Fast and simple installation
 EZ click adjustment
 Rust-free, bind-free, UV-stabilized hinges


Dimensions	2.6 x 1.8 x 3.5 in.
Weight	11.2 ounces
Materials	Non-rusting polymers, aluminum, stainless steel
Adjustment	Vertical
Gate Material	Metal, Wood
Frame/Post Shape	Square
Min. Post Size	1" + (25mm+)
Ideal Gate Gap	3/4" (19mm)
Mounting Method	Surface Mount, screw-on
Self-Closing Weight	99 lbs.
Warranty	Limited Lifetime Warranty
Finish/Color	Black
Order Number	SSC



SSCHD SAFECLOSE HEAVY-DUTY SELF-CLOSING HINGES

Heavy-duty, self-closing, adjustable tension hinges
 Closes gates up to 187 lbs., perfect for commercial gates
 Complies with pool safety standards
 Fast and simple installation
 EZ click adjustment
 Rust-free, bind-free, UV-stabilized hinges

Dimensions	3.5 x 2.5 x 5 in.
Weight	1.25 pounds
Materials	Non-rusting polymers, aluminum, stainless steel
Adjustment	Vertical
Gate Material	Metal, Wood
Frame/Post Shape	Square
Min. Post Size	2" + (55mm+)
Ideal Gate Gap	3/4" (19mm)
Mounting Method	Surface Mount, screw-on
Self-Closing Weight	187 lbs.
Warranty	Limited Lifetime Warranty
Finish/Color	Black
Order Number	SSCHD



GATE CLOSERS

TB100

Gently closes gates up to 125 lbs.
Pushes gate closed
Adjustable closing speed

Recommended for use with:

Metal/Vinyl/Wood/Chain Link gates
with in-line/flush hinges.

Max. Gate Weight: 125 lbs.

Max. Gate Width: 54"

Max. Opening Angle: 90 degrees

Material: Steel



Order #	Color
TB100	Black

TB175

Flush mount gate closer
Pushes the gate closed
Hold open feature
Adjustable closing/latching speed
Recommended for use with:
Metal, Vinyl, and Wood gates
with in-line/flush hinges.



Max. Gate Weight: 125 lbs.

Max. Gate Width: 54"

Max. Opening Angle: 90 degrees

Material: Steel

Order #	Color
TB175B	Black
TB175W	White

TB200 TB400 TB600

Hydraulic controlled closing speed
Installs on top/middle/bottom of left and right hand gates
Mounts on opening side of gate, pushes the gate closed
Mounting brackets and fitting bar included
Hinge Arrangements: In-line or Offset
Max. Opening Angle: 100 degrees
Installs on chain link with TB-LINX*

Order #	Gate Weight	Gate Width	Opening Pressure
TB200	50-125 lbs.	30"-52"	3-7 lbs.
TB400	75-175 lbs.	40"-64"	6-12 lbs.
TB600	150-250 lbs.	44"-72"	8-18 lbs.



TB200SS TB400SS TB600SS

Hydraulic controlled closing speed
Installs on top/middle/bottom of left and right hand gates
Mounts on opening side of gate, pushes the gate closed
Mounting brackets and fitting bar included
Hinge Arrangements: In-line or Offset
Max. Opening Angle: 100 degrees
Installs on chain link with TB-LINX*

Order #	Gate Weight	Gate Width	Opening Pressure
TB200SS	50-125 lbs.	30"-52"	3-7 lbs.
TB400SS	75-175 lbs.	40"-64"	6-12 lbs.
TB600SS	150-250 lbs.	44"-72"	8-18 lbs.



TB250 TB450 TB650

Adjustable hydraulic controlled closing speed
Installs on top/middle/bottom of left and right hand gates
Mounts on opening side of gate, pushes the gate closed
Mounting brackets and fitting bar included
Hinge Arrangements: In-line or Offset
Max. Opening Angle: 100 degrees
Color: Black, White, or Gray

Order #	Gate Weight	Gate Width	Opening Pressure
TB250	50-125 lbs.	30"-52"	3-7 lbs.
TB450	75-175 lbs.	40"-64"	6-12 lbs.
TB650	150-250 lbs.	44"-72"	8-18 lbs.



TB950 - HINGE & CLOSER IN ONE

All-in-one closer and hinge system
Concealed, high use, pedestrian gate closer
Tamper and vandal resistant
Min. Operating Temperature: -40° Fahrenheit
Million cycle tested
Two speed adjustments: closing & latching
Closes gates weighing between 50-250 lbs.
Restrictor to avoid over opening
Speed adjustments hidden from view
180 degree capable (saloon style) with 180 Drive Plate*
Can be surface mounted on chain link with TB950-LINX*
Order #: TB950



GATE CLOSER ACCESSORIES

*sold separately

Order #: TB-LINX

To mount gate closer on chain link
(TB200,400,600 & TB250,450,650)

Order #: TB950-LINX

To mount a TB950 on chain link

Order #: TB950-180 Plate

To make a TB950 180 degree capable (saloon style)

PANIC SHIELD KITS

PANIC BARS



PB1100



DETEX
V40



DETEX
V40xEBxW



PB2500



PB2500AL

PS VALUE KITS

PS Value Kits Include

Panic Shield, Panic Bar, Strike Bracket

Available in Silver (S) or Black (B)

Order #	Panic Bar
PS40	No Panic Bar
PS41	PB1100
PS42	V40
PS43	V40xEBxW
PS44	PB2500
PS45	PB2500AL



PS41

ED VALUE KITS

ED Value Kits Include

Panic Shield, Panic Bar, Strike Bracket, Latch Protector, Jamb Stop

Available in Silver (S) or Black (B)

Order #	Panic Bar
ED40	No Panic Bar
ED41	PB1100
ED42	V40
ED43	V40xEBxW
ED44	PB2500
ED45	PB2500AL



ED41

PS SAFETY KITS

PS Safety Kits Include

Panic Shield, Panic Bar, Strike Bracket, PSGB5 Key Box, Keyed Cylinder

Available in Silver (S) or Black (B)

Order #	Panic Bar
PS50	No Panic Bar
PS51	PB1100
PS52	V40
PS53	V40xEBxW
PS54	PB2500
PS55	PB2500AL



PS51

ED SAFETY KITS

ED Safety Kits Include

Panic Shield, Panic Bar, Strike Bracket, Latch Protector, Jamb Stop, EDGB5 Key Box, Keyed Cylinder

Available in Silver (S) or Black (B)

Order #	Panic Bar
ED50	No Panic Bar
ED51	PB1100
ED52	V40
ED53	V40xEBxW
ED54	PB2500
ED55	PB2500AL



ED51

PS SECURITY KITS

PS Security Kits Include

Panic Shield, Panic Bar, Strike Bracket, PSGB200 Gate Box, 285P Panic Trim, Max Guard

Available in Silver (S) or Black (B)

Order #	Panic Bar
PS60	No Panic Bar
PS61	PB1100
PS62	V40
PS63	V40xEBxW
PS64	PB2500
PS65	PB2500AL



PS61

ED SECURITY KITS

ED Security Kits Include

Panic Shield, Panic Bar, Strike Bracket, Latch Protector, Jamb Stop, Max Guard, EDGB200 Gate Box, 285P Panic Trim

Available in Silver (S) or Black (B)

Order #	Panic Bar
ED60	No Panic Bar
ED61	PB1100
ED62	V40
ED63	V40xEBxW
ED64	PB2500
ED65	PB2500AL



ED61

PANIC BAR UPGRADES

To order a panic shield kit with an upgraded panic bar, add the upgrade code to the end of the panic shield kit order number.

Ex. To order an ED61 in Black with a Stainless Steel Panic Bar: ED61BM

PB1100:

L: 42" Panic Bar
M: Stainless Bar
F: Fire Rated
LM: 42" Stainless Bar

DETEX V40:

L: 42" Panic Bar
W: Weatherized V40
7: Black V40
L7: 42" Black V40

DETEX V40xEBxW:

L: 42" Panic Bar
7: Black V40xEBxW
L7: 42" Black V40xEBxW

PB2500:

L: 42" Panic Bar

PB2500AL:

L: 42" Panic Bar

LINX PRODUCTS FOR CHAIN LINK

2900 with GB2900 LINX



2900 Deadbolt

Mechanical, keyless deadbolt
1 1/8" backset for narrow stiles
Compatible with GB2900LINX*

GB2900 LINX *sold separately

For mounting a LockeyUSA 2900 Series keyless lock on chain link
Length: 7 1/2"
Width: 2"
Depth: 1 3/4"
Finish: Steel

2950 with GB2900 LINX



2950 Hookbolt

Mechanical, keyless hookbolt
1 1/8" backset for narrow stiles
Compatible with GB2900LINX*

GB2900 LINX *sold separately

For mounting a LockeyUSA 2900 Series keyless lock on chain link
Length: 7 1/2"
Width: 2"
Depth: 1 3/4"
Finish: Steel

2985 with GB2900 LINX



2985 Deadlatch

Mechanical, keyless lever lock
1 1/8" backset for narrow stiles
Compatible with GB2900LINX*

GB2900 LINX *sold separately

For mounting a LockeyUSA 2900 Series keyless lock on chain link
Length: 7 1/2"
Width: 2"
Depth: 1 3/4"
Finish: Steel

TB-LINX



Install a closer on a chain-link gate with the TB-LINX.

Compatible with:
TB200 / TB200SS
TB400 / TB400SS
TB600 / TB600SS
TB250
TB450
TB650

TB950-LINX



Install a TB950 closer on a chain-link gate with the TB950-LINX.

Compatible with:
TB950