

## GATE CLOSERS



www.LockeyUSA.com/product/TB100



Gently closes gates up to 125 lbs. Pushes gate closed Adjustable closing speed

<u>Recommended for use with:</u> Metal/Vinyl/Wood/Chain Link gates with in-line/flush hinges.

**Order #:** TB100 Max. Gate Weight: 125 lbs. Max. Gate Width: 54" Max. Opening Angle: 90 degrees Material: Steel

## ТВ200, ТВ400, ТВ600

TB200 TB400 TB600	TAIN IEI				
TB200SS TB400SS TB600SS	Ch-				
Order #:	Material:	Color:	Gate Weight:	Gate Width:	Opening Pressure:
TB200	EG Steel	Black	50-125 lbs.	30"-52"	3-7 lbs.
TB200SS	Stainless Steel	Silver	50-125 lbs.	30"-52"	3-7 lbs.
TB400	EG Steel	Black	75-175 lbs.	40"-64"	6-12 lbs.
TB400SS	Stainless Steel	Silver	75-175 lbs.	40"-64"	6-12 lbs.
TB600	EG Steel	Black	150-250 lbs.	44"-72"	8-18 lbs.
TB600SS	Stainless Steel	Silver	150-250 lbs.	44"-72"	8-18 lbs.

## TB250, TB450, TB650 Adjustable

۵ د() ه				002113440140		Adjustal Closing Speed	g
	Order #:	Specify Color:	Gate Weight:	Gate Width:	Open	ing Pressure:	
	TB250B TB250W TB250G	Black White Gray	50-125 lbs.	30"-52"		3-7 lbs.	
	TB450B TB450W TB450G	Black White Gray	75-175 lbs.	40"-64"		6-12 lbs.	
	TB650B TB650W TB650G	Black White Gray	150-250 lbs.	44"-72"		8-18 lbs.	

## TB950 Magnum Closer & Hinge

www.LockeyUSA.com/product/TB950

All-in-one closer and hinge system Concealed, high use, pedestrian gate closer Self-closing, no hold open Tamper and vandal resistant Two speed adjustments: closing & latching Closes gates weighing between 50-250 lbs. Restrictor to avoid over opening Speed adjustments hidden from view 180 degree capable (saloon style) with 180 Drive Plate\*

Please note: LockeyUSA product warranty requires a gate stop to be installed in conjuction with the gate closer to prevent gates from opening past the listed maximum opening angle. *www.LockeyUSA.com/warranty* 

# TB175 •

www.LockeyUSA.com/product/TB175

Flush mount gate closer Pushes the gate closed Hold open feature Adjustable closing/latching speed **Recommended for use with:** Metal, Vinyl, and Wood gates with in-line hinges.

Max. Gate Weight: 125 lbs. Max. Gate Width: 54" Max. Opening Angle: 90 degrees Material: Steel

www.LockeyUSA.com/product/TB200 www.LockeyUSA.com/product/TB400 www.LockeyUSA.com/product/TB600

Mounting Hardware



Hydraulic controlled closing speed Installs on top/middle/bottom Works with left and right hand gates Mounts on opening side of gate Pushes the gate closed Mounting brackets and fitting bar included **Hinge Arrangements:** In-line or Offset **Max. Opening Angle:** 100 degrees

www.LockeyUSA.com/product/TB250 www.LockeyUSA.com/product/TB450 www.LockeyUSA.com/product/TB650

Mounting Hardware



Adjustable hydraulic controlled closing speed Installs on top/middle/bottom Works with left and right hand gates Mounts on opening side of gate Pushes the gate closed Mounting brackets and fitting bar included Hinge Arrangements: In-line or Offset Max. Opening Angle: 100 degrees Material: Electro-galvanized (EG) Steel Finish: PVC wrapped

#### Accessories

**Order #: TB-LINX** To mount closer on chain link (TB200,400,600 & TB250,450,650)

**Order #: TB950-LINX** To mount TB950 on chain link

**Order #: TB950-180 Plate** To make the TB950 180 degree capable (saloon style)



LOCKEYUSA.COM | 888.395.0163 | INFO@LOCKEYUSA.COM





LockeyUSA recommends installing a hydraulic gate closer along with the gate lock and gate stop in order to prevent the gate from slamming and to increase the lifetime of the latch.

#### **SUMO GL2 Gate Lock**



Order #:	Lock Body:	Finish:
GL2SCMG	Single Combination	SCMG*
GL2JBMG	Single Combination	JBMG*
GL2SCMGDC	Double Combination	SCMG*
GL2JBMGDC	Double Combination	JBMG*

**Gate Boxes & Gate Box Kits** 



www.LockeyUSA.com/product/SUMO

Easy to install surface mount gate kit, lock included Locks automatically Equipped with passage function Keyed cylinder lockout function prevents code use when locked Deadlocking spring latch prevents tampering Adjustable strike accommodates gaps between gate & post up to 2" One user code, thousands of possible combinations Changeable handing Ideal for ornamental, aluminum, vinyl, and wood gates Dimensions on gate post: NO Length: 9 5/16" Width: 2 1/2" **WELDING** Depth: 4" Dimensions on fence post: **NEEDED!** 

Length: 8 5/8" Width: 1 1/2" Depth: 2 1/4"

www.LockeyUSA.com/gate-boxes



**GB200M** For use with M210, M230 Steel: GB200M Aluminum: GB200MAL



GB2500 For use with 2210, 2830, 2835, 3210, 3830, 3835 Steel: GB2500 Aluminum: GB2500AL



<u>GB210</u> For use with M210 + knob/lever Steel: GB210 Aluminum: GB210AL



**GBADDABOLT** (box only) For use with M210DC & a drive-in-deadbolt Designed for narrow stiles Black: GB-ADD-A-BOLT-B White: GB-ADD-A-BOLT-W



**GB900** For use with 2930, 2985 Steel (black): GB900 Aluminum: GB900AL



GB2900-LINX For use with 2900 Series 2900, 2930, 2950, 2985 Stainless Steel for Chain Link 1 5/8": GB2900-LINX 1 7/8": GB2900-LINX 1 7/8"



GB950 For use with 2900, 2950 Steel (black): GB950 Aluminum: GB950AL



**GBADDABOLTKIT** Includes GBADDABOLT box, M210DC & drive-in-deadbolt Designed for narrow stiles Black: GBADDABOLTKITB White: GBADDABOLTKITW



GB1150 For use with 1150, 1600 Steel: GB1150 Aluminum: GB1150AL



**GB210PLUSDC Kit** Includes GB210 box, M210DC & a knob or lever Specify knob or lever Steel: GB210PLUSDC Aluminum: GB210PLUSDCAL

## **Keyless Locks for Gates**



2835 Lever Lock Shown above on GB2500 Available in 9 finishes: AB, BB, BC, JB, MG\* (above), OIL, SC, SN, WH



M210 Deadbolt & M230 Lock Shown above on GB200M Available in 9 finishes: AB, BB, BC, JB, MG\* (above), OIL, SC, SN, WH



3835 Passage Lever Lock Shown above on GB2500 Available in 4 finishes: JBMG\*, OIL, SCMG\*, SN



For our full selection of LockeyUSA locks, visit www.LockeyUSA.com.

2900 Series Locks Shown above on GB2900 LINX Available in 9 finishes: AB, BB, BC, JB, MG\* (above), OIL, SC, SN, WH (2930 not pictured)



1150 Heavy-Duty Lever Lock Shown above on GB1150 Available in 3 finishes: JB, MG\*, OIL

AB: Antique Brass BB: Bright Brass BC: Bright Chrome JB: Jet Black \*MG: Marine Grade OIL: Oil Rubbed Bronze SC: Satin Chrome SN: Satin Nickel WH: White \* MG in the finish indicates Marine Grade, which extends the life of the finish when exposed to corrosive elements of saltwater environments. \*



LOCKEYUSA.COM | 888.395.0163 | INFO@LOCKEYUSA.COM



## PANIC BARS & TRIMS

www.LockeyUSA.com/panic-bars

www.LockeyUSA.com/panic-trims

30 years



# PANIC HARDWARE

LockeyUSA panic hardware (excluding 12" panic shields) is available individually or as a component of a Panic Shield Kit. See next page for more information.

## **Panic Shields**









www.LockeyUSA.com/panic-shields





Edge Jamb Stop

Order #: EDJS

Acts as a gate stop

**Mounting Tabs** 

2900 Series Locks

AR-2991-0965

For use with:

Order #:

on EDGE shield setups

PS24S		PS3x1S24		ED3x1S24		PS12S		PS3x	1512	ED3	x1S12	
Order #: Style:		Shield Height:	Color:		Hole Patte	ern:	Mounting plate for a panic bar Turns gates into emergency exits					
PS3x1S24	Standard	24″	Silver	Predrilled for PB11	100, PB2500	& V40 Series P	Panic Bars		eg-steel	energency exit	5	
PS3x1B24	Standard	24″	Black	Predrilled for PB11	100, PB2500	& V40 Series P	Panic Bars			8"-54" gates	ialata	
ED3x1S24	Edge	24″	Silver	Predrilled for PB11	100, PB2500	& V40 Series P	Panic Bars		ler-coated f	and 12" shield he 'inish	eignts	
ED3x1B24	Edge	24″	Black	Predrilled for PB11	100, PB2500	& V40 Series P	Panic Bars			PS-EXT		
PS3x1S12	Standard	12″	Silver	Predrilled for PB11	100, PB2500	& V40 Series P	Panic Bars			Extension shield	-	
PS3x1B12	Standard	12″	Black	Predrilled for PB11	100, PB2500	& V40 Series P	Panic Bars			Extends panic sl Available in botl		
ED3x1S12	Edge	12″	Silver	Predrilled for PB11	100, PB2500	& V40 Series P	Panic Bars					
ED3x1B12	Edge	12″	Black	Predrilled for PB11	100, PB2500	& V40 Series P	Panic Bars		Order #:	Shield Height:	Color:	
PS24S	Standard	24″	Silver	No pa	nic bar mou	nting holes			PSEXTS	24″	Silver	
PS24B	Standard	24"	Black	No pa	nic bar mou	nting holes			PSEXTB	24"	Black	
PS12S	Standard	12″	Silver	No pa	nic bar mou	nting holes			PSEXT12S	12"	Silver	
PS12B	Standard	12″	Black	No pa	nic bar mou	nting holes			PSEXT12B	12"	Black	I


## **Gate Hardware**

Latch Protector Provides extra security to gate latches, for gates with over 1" gap 16ga eg-steel 23.375" long Black: LPB Silver: LPS



PS Strike Bracket For standard style shield setups, includes mounting hardware Black: PSSBB Silver: PSSBS

Trim Boxes





ED Strike Bracket For edge style shield setups, includes mounting hardware Black: EDSBB Silver: EDSBS



Prevents gate from opening past 90° Gate Stop: GS90



2900 Strike Bracket Strike Bracket for 2900/2950 locks Includes necessary mounting hardware Silver: SB2900



www.LockeyUSA.com/gate-hardware

LINX Gate Stop

3" Posts: GSLINX

4" Posts: GSLINX 4"

Prevents chain link gate

from opening past 90°

2985 Strike Bracket Strike Bracket for 2930/2985 locks Includes necessary mounting hardware Silver: SB2985

www.LockeyUSA.com/panic-hardware



PSGB5 For use with keyed cylinder for standard shield setups Black: PSGB5B Silver: PSGB5S



EDGB5 For use with keyed cylinder for EDGE shield setups Black: EDGB5B Silver: EDGB5S





PSGB100 For use with 115P, 160P Black: PSGB100B Silver: PSGB100S

PSGB200 (STANDARD) For use with 285P Black: PSGB200B Silver: PSGB200S

EDGB200 (EDGE) For use with 285P Black: EDGB200B Silver: EDGB200S



**PSGBLH** For use with PB-LHPS, PB-LHED, PB-LHSR Black: PSGBLHB Silver: PSGBLHS



Keyed Cylinder


PSGB5 and EDGB5

Specify Keyed Alike

or Keyed Different

Order #: PS-CYL

For use with:





LOCKEYUSA.COM | 888.395.0163 | INFO@LOCKEYUSA.COM



PANIC SHIELD KITS LockeyUSA 24" panic shields are available individually or as a component of a Panic Shield Kit. Information on how to order a panic shield kit is found below.

www.LockeyUSA.com/standard-kits


#### Standard vs. EDGE Style Kits

Panic Shield Kits are offered in two styles, Standard and EDGE

The main differences between Standard and EDGE panic shield kits:

- ✓ Panic bar mounts closer to the edge of the gate with EDGE kits
- ✓ Reduced strike size on EDGE kits when compared to Standard kits
- Reduced strike protrusion on EDGE kits when compared to Standard kits
- Latch Protector & Jamb Stop (gate stop) included with all EDGE kits

## **Standard Style**





PB1100 mounted on a Standard Style Panic Shield setup


## How to Order a Panic Shield Kit

## \*\*\*\*\*



PB2500 mounted on an EDGE Style Panic Shield setup

www.LockeyUSA.com/resources/ordering-information







www.LockeyUSA.com/edge-kits

# PANIC SHIELD KITS

Refer to the "Panic Hardware" page of this catalog to view the individual items included in the various Panic Shield Kits.

#### **Panic Shield Kits**

www.LockeyUSA.com/standard-kits

www.LockeyUSA.com/edge-kits

Contents of kits are indicated by <b>x</b> below. See "How to Order Panic Shield Kit" for available panic bar upgrades.																
Order #:	Value Safety Security	Style:	24" Shield	PB1100	V40	V40x- EBxW	PB2500	PB2500 Alarm	Strike Bracket	Key Box	Keyed Cylinder	Keyless Lock Trim Box	285P Keyless Trim	Max Guard	LP	Jamb Stop
PS40	Value	Standard	х						x							
PS41	Value	Standard	х	x					x							
PS42	Value	Standard	x		x				x							
PS43	Value	Standard	х			x			х							
PS44	Value	Standard	х				х		x							
PS45	Value	Standard	х					x	x							
PS50	Safety	Standard	x						x	x	x					
PS51	Safety	Standard	х	x					x	x	x					
PS52	Safety	Standard	x		х				х	x	x					
PS53	Safety	Standard	х			х			х	х	х					
PS54	Safety	Standard	х				х		х	x	x					
PS55	Safety	Standard	х					x	х	х	х					
PS60	Security	Standard	x						x			x	x	x		
PS61	Security	Standard	х	х					х			x	х	x		
PS62	Security	Standard	x		х				x			x	x	x		
PS63	Security	Standard	х			х			x			x	x	x		
PS64	Security	Standard	x				x		x			x	x	x		
PS65	Security	Standard	x					x	x			x	x	x		
ED40	Value	EDGE	х						x						x	x
ED41	Value	EDGE	x	x					x						x	x
ED42	Value	EDGE	x		x				x						x	x
ED43	Value	EDGE	x			x			x						x	x
ED44	Value	EDGE	x				x		x						x	x
ED45	Value	EDGE	x					x	x						x	x
ED50	Safety	EDGE	x						x	x	×				x	x
ED51	Safety	EDGE	x	x					x	x	x				x	x
ED52	Safety	EDGE	x		x				x	x	x				x	x
ED53	Safety	EDGE	x			x			x	x	x				x	x
ED54	Safety	EDGE	x				x		x	x	x				x	x
ED55	Safety	EDGE	x					x	x	x	x				x	x
ED60	Security	EDGE	x						x			x	x	x	x	x
ED61	Security	EDGE	x	x					x			x	x	x	x	x
ED62	Security	EDGE	x		x				x			x	x	x	x	x
ED63	Security	EDGE	x			x			x			x	x	x	x	x
ED64	Security	EDGE	x				x		x			x	x	x	x	x
ED65	Security	EDGE					^									
ED05	Security	EDGE	х					x	x			x	х	x	х	x

WARRANTY STATEMENTS: LockeyUSA Hydraulic Gate Closers (not including the TB950 Magnum) are covered by a one year warranty. The one year warranty covers manufacturer defects to the hydraulic gate closer. The one year warranty does NOT cover defects resulting from vandalism, improper installation or use. LockeyUSA TB950 Magnum Hydraulic Gate Closer & Hinge is covered by a ten year warranty. The ten year warranty covers manufacturer defects to the hydraulic gate closer and hinge. The ten year warranty does not cover defects resulting from vandalism, improper installation, or use. LockeyUSA Panic Hardware including panic bars and panic shields, comes with a five year warranty. The five year warranty does NOT cover defects resulting from vandalism, or defects resulting from improper installation or use. LockeyUSA product warranty does not apply to DETEX Panic Hardware, sold by LockeyUSA. All DETEX warranty inquiries must be directed to the manufacturer.

FULL WARRANTY STATEMENTS AVAILABLE AT www.LockeyUSA.com/warranty







4245 S. Lincoln Rd. Mt. Pleasant, MI 48858 888.395.0163 LockeyUSA.com

